



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/585,563	08/01/2006	Ernst Ach	11596-72	4289
20694	7590	02/24/2010	EXAMINER	
WOLFF & SAMSON, P.C. ONE BOLAND DRIVE WEST ORANGE, NJ 07052			KRUER, STEFAN	
			ART UNIT	PAPER NUMBER
			3654	
			MAIL DATE	DELIVERY MODE
			02/24/2010	PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.



Continuation of Substance of Interview including description of the general nature of what was discussed: Examiner contacted applicant's representative to review and propose an Examiner's Amendment to applicant's amendment of Claim 40, to ultimately recite "...wherein a spacing (X) between an outer contour of each carrier and an adjacent inclined flank surface of a respective rib is less than 17% of a pitch spacing (T) between the ribs". Furthermore, "A support apparatus" of Claims 47 - 51 was deemed as being too broad for which amended language was reviewed. Examiner directed applicant's representative's attention to prior art as listed on the enclosed PTO-892, including Garner as previously cited for pertinence to the instant invention, wherein said said potential amendment remains anticipated or obvious with respect to the broadness of Claim 47. Applicant's representative to review with response to follow in the forthcoming week.